Author Index to Volume 164

Adam, M.Y., M.P. Keane, A. Naves de Brito, N. Correia, B. Wannberg, P. Baltzer, L. Karlsson and S. Svensson, High resolution X-ray and He II excited inner valence photoelectron spectra of HI 164 (1992) 123
Ågren, H., see D. Nordfors 164 (1992) 173
Albertazzi, E. and F. Zerbetto, Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene 164 (1992) 91

Bachir, I.H., R. Charneau and H. Dubost, Vibrationally mediated selective excitation of matrix-isolated NO($B\,^2\Pi$) applied to the study of intramolecular energy redistribution among the excited valence states 164 (1992) 451
Baltzer, P., see M.Y. Adam 164 (1992) 123
Bartels, D.M., P. Han and P.W. Percival, Diffusion and CIDEP of H and D atoms in solid H_2O, D_2O and isotopic mixtures 164 (1992) 421
Barzoukas, M., A. Fort, G. Klein, C. Serbutoviez, L. Oswald and J.F. Nicoud, Conformational dependence of the quadratic hyperpolarisabilities of a series of push–pull stilbenes: characterisation and investigation of empirical correlations 164 (1992) 395
Bässler, H., see M. Deussen 164 (1992) 247
Bawagan, A.D.O., B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang, The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy 164 (1992) 283
Bely, M.U., G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya, Intermolecular interaction effects in the vibrational spectra of electrolyte solutions 164 (1992) 83
Bencivenni, L., see F. Ramondo 164 (1992) 153
Berberan-Santos, M.N. and J.M.G. Martinho, A linear response approach to kinetics with time-dependent rate coefficients 164 (1992) 259
Berezhkovskii, A.M., Non-equilibrium solvation in chemical reactions. I. Effective equations of motion 164 (1992) 331
Berezhkovskii, A.M. and V.Yu. Zitserman, Non-equilibrium solvation in chemical reactions. II. Rate constant 164 (1992) 341
Bhanuprakash K., see L. Chantranupong 164 (1992) 183
Brennan, J.G., G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze, Electron localization in the bis-arene complexes [$(\eta$-$C_6H_6)_2Cr$] and [$(\eta$-$C_6H_5Me)_2Mo$]: an investigation by photoelectron spectroscopy with variable photon energy 164 (1992) 271
Buenker, R.J., see L. Chantranupong 164 (1992) 183
Burshtein, A.I. and A.V. Storozhev, The angular momentum relaxation due to multiparticle collisions of molecules with atoms 164 (1992) 47

Cachet, C., see F. Fillaux 164 (1992) 311
Cai, Z.-L., Y.-F. Wang and H.-M. Xiao, Ab initio study of low-lying electronic states of the N_3^+ ion 164 (1992) 377

Caminiti, R., see F. Ramondo 164 (1992) 153
Chaillet, M., see A. Lichanot 164 (1992) 383
Chantranupong, L., G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon, Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule 164 (1992) 183
Charneau, R., see I.H. Bachir 164 (1992) 451
Chen, J.M., see A.D.O. Bawagan 164 (1992) 283
Chiu, Y.-N., see S.-T. Lai 164 (1992) 155
Chu, C., see R. Wallace 164 (1992) 23
Coffey, W.T., J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn, On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions 164 (1992) 357
Compostizo, A., A. Crespo Colin, M.R. Vigil, R.G. Rubio and M. Diaz Peña, Thermal expansion and pressure dependence of the critical temperature near the lower-critical solution point of 2-butoxyethanol+water 164 (1992) 465
Cooper, G., see J.G. Brennan 164 (1992) 271
Correia, N., see M.Y. Adam 164 (1992) 123
Cossart-Magos, C., see F. Morlet-Savary 164 (1992) 131
Crespo Colin, A., see A. Compostizo 164 (1992) 465

Dargelos, A., see C. Jamorski 164 (1992) 191
Decleva, P. and M. Ohno, Many-body calculation of the core hole spectrum of PdN_2 164 (1992) 73
Déjardin, J.-L., see W.T. Coffey 164 (1992) 357
De Sousa, G., see A. Pizzi 164 (1992) 203
Desouter-Lecomte, M. and F. Remacle, Local decoupling of a bunch of resonances and associated trapping effect 164 (1992) 11
Deussen, M. and H. Bässler, Anion and cation absorption spectra of conjugated oligomers and polymers 164 (1992) 247
Diaz Peña, M., see A. Compostizo 164 (1992) 465
Dillon, M.A., see L. Chantranupong 164 (1992) 183
Dimicoli, I., see F. Morlet-Savary 164 (1992) 131
Dimov, S.S. and C.R. Vidal, Rotational collision cross sections of the system CO $A\,^1\Pi$–M (M=He, Ar, H_2) from a two-step excitation 164 (1992) 107
Donovan, R.J., R.V. Flood, K.P. Lawley, A.J. Yencha and T. Ridley, The resonance enhanced (2+1) multiphoton ionization spectrum of I_2 164 (1992) 439
Dovesi, R., see A. Lichanot 164 (1992) 383
Dubost, H., see I.H. Bachir 164 (1992) 451

Eggenberger, R., S. Gerber, H. Huber, D. Searles and M. Welker, Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range 164 (1992) 321

Fillaux, F., H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu, Inelastic neutron scattering study of γ-MnO_2: the dynamics of $(H^+)_4$ entities in Mn^{4+} vacancies 164 (1992) 311
Flood, R.V., see R.J. Donovan 164 (1992) 439
Fort, A., see M. Barzoukas 164 (1992) 395

Gaididei, G.I., see M.U. Bely 164 (1992) 83
Gaididei, Yu.B., see M.U. Bely 164 (1992) 83
Ganz, M., W. Kiefer, E. Kolba, J. Manz and P. Vogt, A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering 164 (1992) 99
Gerber, S., see R. Eggenberger 164 (1992) 321
Green, J.C., see J.G. Brennan 164 (1992) 271
Gückel, F., A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler, Spectroscopic investigations of the lowest triplet state of *s*-tetrazines 164 (1992) 217
Guenzburger, D., see S.R. Nogueira 164 (1992) 229

Han, P., see D.M. Bartels 164 (1992) 421
Hirsch, G., see L. Chantranupong 164 (1992) 183
Huang, T.-H., Intramolecular vibrational activity and quantum beats in the Raman-induced optical Kerr effect of liquids under impulsive electric excitations 164 (1992) 57
Huber, H., see R. Eggenberger 164 (1992) 321

Jamorski, C. and A. Dargelos, Ab initio CI calculations of electronic and vibrational spectra of $ZnCH_3$ 164 (1992) 191

Kalmykov, Yu.P., see W.T. Coffey 164 (1992) 357
Kaltsoyannis, N., see J.G. Brennan 164 (1992) 271
Karlsson, L., see M.Y. Adam 164 (1992) 123
Keane, M.P., see M.Y. Adam 164 (1992) 123
Kearley, G.J., see F. Fillaux 164 (1992) 311
Khrapak, A., see Y. Sakai 164 (1992) 139
Kiefer, W., see M. Ganz 164 (1992) 99
Kimura, M., see L. Chantranupong 164 (1992) 183
Klein, G., see M. Barzoukas 164 (1992) 395
Kolba, E., see M. Ganz 164 (1992) 99
Kushnirenko, I.Ya., see M.U. Bely 164 (1992) 83

Lai, S.-T. and Y.-N. Chiu, Intensity and alignments of three-photon nonresonant transitions 164 (1992) 155
Larrieu, C., see A. Lichanot 164 (1992) 383
Lawley, K.P., see R.J. Donovan 164 (1992) 439
Lemaire, J.-L., see X.-F. Yang 164 (1992) 115
Li, L., X.T. Wang, X.N. Li and X.B. Xie, The (3+1) REMPI spectrum of CS_2 in the 62000–65000 cm^{-1} region 164 (1992) 305
Li, X.N., see L. Li 164 (1992) 305
Lichanot, A., M. Chaillet, C. Larrieu, R. Dovesi and C. Pisaní, Ab initio Hartree–Fock study of solid beryllium oxide: structure and electronic properties 164 (1992) 383

MacDonald, M.A., see J.G. Brennan 164 (1992) 271
Maki, A.H., see F. Gückel 164 (1992) 217
Manz, J., see M. Ganz 164 (1992) 99
Martinho, J.M.G., see M.N. Berberan-Santos 164 (1992) 259
Matyushov, D.V., Donor–acceptor vibrations in nonadiabatic electron transfer reactions 164 (1992) 31

Mikkelsen, K.V., see D. Nordfors 164 (1992) 173
Morlet-Savary, F., I. Dimicoli and C. Cossart-Magos, Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and p-$Cl_2C_6H_4$ 164 (1992) 131

Naves de Brito, A., see M.Y. Adam 164 (1992) 123
Neugebauer, F.A., see F. Gückel 164 (1992) 217
Nicoud, J.F., see M. Barzoukas 164 (1992) 395
Nogueira, S.R., N.V. Vugman and D. Guenzburger, Molecular orbital calculations of the electronic structure and g-tensor for divalent paramagnetic iridium complexes 164 (1992) 229
Nordfors, D., H. Ågren and K.V. Mikkelsen, The XPS core spectral functions of free and physisorbed molecular oxygen 164 (1992) 173

Ohno, M., see P. Decleva 164 (1992) 73
Olsson, B.J., see A.D.O. Bawagan 164 (1992) 283
Oswald, L., see M. Barzoukas 164 (1992) 395
Ouboumour, H., see F. Fillaux 164 (1992) 311

Payne, M.P., see J.G. Brennan 164 (1992) 271
Percival, P.W., see D.M. Bartels 164 (1992) 421
Peyerimhoff, S.D., see R. Vetter 164 (1992) 473
Pisani, C., see A. Lichanot 164 (1992) 383
Pizzi, A. and G. De Sousa, On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results 164 (1992) 203

Quinn, K.P., see W.T. Coffey 164 (1992) 357

Ramondo, F., L. Bencivenni, R. Caminiti and C. Sadun, Ab initio SCF study on $LiClO_4$ and Li_2SO_4 molecules: geometries and vibrational frequencies, Chem. Phys. 151 (1991) 179. Erratum 164 (1992) 153
Redfern, C.M., see J.G. Brennan 164 (1992) 271
Remacle, F., see M. Desouter-Lecomte 164 (1992) 11
Reuter, W., see R. Vetter 164 (1992) 473
Ridley, T., see R.J. Donovan 164 (1992) 439
Rostas, F., see X.-F. Yang 164 (1992) 115
Rostas, J., see X.-F. Yang 164 (1992) 115
Rubio, R.G., see A. Compostizo 164 (1992) 465

Sadun, C., see F. Ramondo 164 (1992) 153
Sakai, Y., W.F. Schmidt and A. Khrapak, High- and low-mobility electrons in liquid neon 164 (1992) 139
Schirmer, J., see A. Schmitt 164 (1992) 1
Schmidt, W.F., see Y. Sakai 164 (1992) 139
Schmitt, A. and J. Schirmer, Molecular K-shell excitation spectra in the relaxed-core Hartree–Fock approximation 164 (1992) 1
Schweitzer, D., see F. Gückel 164 (1992) 217
Searles, D., see R. Eggenberger 164 (1992) 321

Serbutoviez, C., see M. Barzoukas 164 (1992) 395
Skryshevskaya, M.G., see M.U. Bely 164 (1992) 83
Smith, D., A study of the tunneling frequencies of CH_3D in various crystalline environments 164 (1992) 407
Storozhev, A.V., see A.I. Burshtein 164 (1992) 47
Svensson, S., see M.Y. Adam 164 (1992) 123
Sze, K.H., see J.G. Brennan 164 (1992) 271

Tan, K.H., see A.D.O. Bawagan 164 (1992) 283
Tomkinson, J., see F. Fillaux 164 (1992) 311

Vetter, R., W. Reuter and S.D. Peyerimhoff, Theoretical spectroscopy of difluoromethylene in the visible and ultraviolet region, Chem. Phys. 161 (1992) 379. Erratum 164 (1992) 473
Vidal, C.R., see S.S. Dimov 164 (1992) 107
Vigil, M.R., see A. Compostizo 164 (1992) 465
Vogler, H., see F. Gückel 164 (1992) 217
Vogt, P., see M. Ganz 164 (1992) 99
Vugman, N.V., see S.R. Nogueira 164 (1992) 229

Wallace, R. and C. Chu, Large amplitude Hamiltonians for internal motion in AX_3 molecules. Evaluation of inversion-rotation models 164 (1992) 23
Wang, X.T., see L. Li 164 (1992) 305
Wang, Y.-F., see Z.-L. Cai 164 (1992) 377
Wannberg, B., see M.Y. Adam 164 (1992) 123
Welker, M., see R. Eggenberger 164 (1992) 321
Wu, Z.-J. and S.-Y. Zhang, Analysis of angular overlap parameters for $Eu^{3+}:Ln_2O_2S$ (Ln=Lu, Y, Gd, La) crystal series 164 (1992) 197

Xiao, H.-M., see Z.-L. Cai 164 (1992) 377
Xie, X.B., see L. Li 164 (1992) 305

Yang, B.X., see A.D.O. Bawagan 164 (1992) 283
Yang, X.-F., J.-L. Lemaire, F. Rostas and J. Rostas, VUV laser absorption study at 110.6 nm of the rotationally structured ...$1\pi_g^3$, $3p\pi_u\ ^3\Sigma_u^-$ Rydberg state of CO_2 164 (1992) 115
Yencha, A.J., see R.J. Donovan 164 (1992) 439
Yu, L.T., see F. Fillaux 164 (1992) 311

Zerbetto, F., see E. Albertazzi 164 (1992) 91
Zhang, S.-Y., see Z.-J. Wu 164 (1992) 197
Zitserman, V.Yu., see A.M. Berezhkovskii 164 (1992) 341

Subject Index to Volume 164

Methods

Theoretical

Group theory and algebras

Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155

Many body and quasiparticle approaches

Molecular K-shell excitation spectra in the relaxed-core Hartree–Fock approximation, A. Schmitt and J. Schirmer 164 (1992) 1
Many-body calculation of the core hole spectrum of PdN_2, P. Decleva and M. Ohno 164 (1992) 73

Coupling schemes and perturbative treatments

Local decoupling of a bunch of resonances and associated trapping effect, M. Desouter-Lecomte and F. Remacle 164 (1992) 11
Large amplitude Hamiltonians for internal motion in AX_3 molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23
Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155

Equilibrium statistical mechanics

Intermolecular interaction effects in the vibrational spectra of electrolyte solutions, M.U. Bely, G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya 164 (1992) 83
Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321

Non-equilibrium thermodynamic and hydrodynamic theories

Donor–acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31
Non-equilibrium solvation in chemical reactions. I. Effective equations of motion, A.M. Berezhkovskii 164 (1992) 331
Non-equilibrium solvation in chemical reactions. II. Rate constant, A.M. Berezhkovskii and V.Yu. Zitserman 164 (1992) 341
On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357

Ab initio schemes for stationary properties

Large amplitude Hamiltonians for internal motion in AX_3 molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23

Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91
The XPS core spectral functions of free and physisorbed molecular oxygen, D. Nordfors, H. Ågren and K.V. Mikkelsen 164 (1992) 173
Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule, L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183
Ab initio CI calculations of electronic and vibrational spectra of $ZnCH_3$, C. Jamorski and A. Dargelos 164 (1992) 191
Ab initio study of low-lying electronic states of the N_3^+ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377
Ab initio Hartree–Fock study of solid beryllium oxide: structure and electronic properties, A. Lichanot, M. Chaillet, C. Larrieu, R. Dovesi and C. Pisani 164 (1992) 383

Computational and simulation methods
The XPS core spectral functions of free and physisorbed molecular oxygen, D. Nordfors, H. Ågren and K.V. Mikkelsen 164 (1992) 173
Analysis of angular overlap parameters for $Eu^{3+}:Ln_2O_2S$ (Ln=Lu, Y, Gd, La) crystal series, Z.-J. Wu and S.-Y. Zhang 164 (1992) 197
On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203
Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321
Conformational dependence of the quadratic hyperpolarisabilities of a series of push–pull stilbenes: characterisation and investigation of empirical correlations, M. Barzoukas, A. Fort, G. Klein, C. Serbutoviez, L. Oswald and J.F. Nicoud 164 (1992) 395
A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407

Molecular dynamics and scattering theory
Local decoupling of a bunch of resonances and associated trapping effect, M. Desouter-Lecomte and F. Remacle 164 (1992) 11
The angular momentum relaxation due to multiparticle collisions of molecules with atoms, A.I. Burshtein and A.V. Storozhev 164 (1992) 47
Intramolecular vibrational activity and quantum beats in the Raman-induced optical Kerr effect of liquids under impulsive electric excitations, T.-H. Huang 164 (1992) 57
A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogt 164 (1992) 99

Experimental

Magnetic resonances
Spectroscopic investigations of the lowest triplet state of *s*-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217
Molecular orbital calculations of the electronic structure and *g*-tensor for divalent paramagnetic iridium complexes, S.R. Nogueira, N.V. Vugman and D. Guenzburger 164 (1992) 229

Diffusion and CIDEP of H and D atoms in solid H_2O, D_2O and isotopic mixtures, D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421

Infrared spectroscopy

Intermolecular interaction effects in the vibrational spectra of electrolyte solutions, M.U. Bely, G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya 164 (1992) 83

Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91

Raman spectroscopy

A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogt 164 (1992) 99

Visible and UV spectroscopy

Rotational collision cross sections of the system CO A $^1\Pi$–M (M=He, Ar, H_2) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107

VUV laser absorption study at 110.6 nm of the rotationally structured ...$1\pi_g^3$, $3p\pi_u$ $^3\Sigma_u^-$ Rydberg state of CO_2, X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115

Anion and cation absorption spectra of conjugated oligomers and polymers, M. Deussen and H. Bässler 164 (1992) 247

The resonance enhanced (2+1) multiphoton ionization spectrum of I_2, R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yencha and T. Ridley 164 (1992) 439

Fluorescence spectroscopy

Rotational collision cross sections of the system CO A $^1\Pi$–M (M=He, Ar, H_2) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107

Spectroscopic investigations of the lowest triplet state of *s*-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217

A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259

Photoelectron and Auger spectroscopy

Many-body calculation of the core hole spectrum of PdN_2, P. Decleva and M. Ohno 164 (1992) 73

High resolution X-ray and He II excited inner valence photoelectron spectra of HI, M.Y. Adam, M.P. Keane, A. Naves de Brito, N. Correia, B. Wannberg, P. Baltzer, L. Karlsson and S. Svensson 164 (1992) 123

Electron localization in the bis-arene complexes $[(\eta\text{-}C_6H_6)_2Cr]$ and $[(\eta\text{-}C_6H_5Me)_2Mo]$: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271

The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy, A.D.O. Bawagan, B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang 164 (1992) 283

Laser methods

VUV laser absorption study at 110.6 nm of the rotationally structured ...$1\pi_g^3$, $3p\pi_u$ $^3\Sigma_u^-$ Rydberg state of CO_2, X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115

Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and p-$Cl_2C_6H_4$, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131

Picosecond spectroscopy

A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259

Non-linear optical spectroscopy

Conformational dependence of the quadratic hyperpolarisabilities of a series of push–pull stilbenes: characterisation and investigation of empirical correlations, M. Barzoukas, A. Fort, G. Klein, C. Serbutoviez, L. Oswald and J.F. Nicoud 164 (1992) 395

Synchrotron spectroscopies

Electron localization in the bis-arene complexes $[(\eta\text{-}C_6H_6)_2Cr]$ and $[(\eta\text{-}C_6H_5Me)_2Mo]$: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271

The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy, A.D.O. Bawagan, B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang 164 (1992) 283

Multiple resonance spectroscopy

The (3+1) REMPI spectrum of CS_2 in the 62000–65000 cm^{-1} region, L. Li, X.T. Wang, X.N. Li and X.B. Xie 164 (1992) 305

Vibrationally mediated selective excitation of matrix-isolated $NO(B^2\Pi)$ applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451

Time-resolved experiments

High- and low-mobility electrons in liquid neon, Y. Sakai, W.F. Schmidt and A. Khrapak 164 (1992) 139

Mass spectrometry

Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and p-$Cl_2C_6H_4$, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131

Radiolysis

Diffusion and CIDEP of H and D atoms in solid H_2O, D_2O and isotopic mixtures , D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421

Neutron scattering

Inelastic neutron scattering study of γ-MnO_2: the dynamics of $(H^+)_4$ entities in Mn^{4+} vacancies, F. Fillaux, H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu 164 (1992) 311

Measurement of macroscopic variables

Thermal expansion and pressure dependence of the critical temperature near the lower-critical solution point of 2-butoxyethanol+water, A. Compostizo, A. Crespo Colin, M.R. Vigil, R.G. Rubio and M. Diaz Peña 164 (1992) 465

Objects

Bulk systems

Gases

A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogt 164 (1992) 99
VUV laser absorption study at 110.6 nm of the rotationally structured ...$1\pi_g^3$, $3p\pi_u\ ^3\Sigma_u^-$ Rydberg state of CO_2, X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115
Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and p-$Cl_2C_6H_4$, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131
The (3+1) REMPI spectrum of CS_2 in the 62000–65000 cm^{-1} region, L. Li, X.T. Wang, X.N. Li and X.B. Xie 164 (1992) 305
Ab initio study of low-lying electronic states of the N_3^+ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377
The resonance enhanced (2+1) multiphoton ionization spectrum of I_2, R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yencha and T. Ridley 164 (1992) 439

Supersonic beams

Rotational collision cross sections of the system CO $A^1\Pi$–M (M=He, Ar, H_2) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107

Liquids neat

Intramolecular vibrational activity and quantum beats in the Raman-induced optical Kerr effect of liquids under impulsive electric excitations, T.-H. Huang 164 (1992) 57
High- and low-mobility electrons in liquid neon, Y. Sakai, W.F. Schmidt and A. Khrapak 164 (1992) 139
Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321

Liquids mixtures and solutions

Intermolecular interaction effects in the vibrational spectra of electrolyte solutions, M.U. Bely, G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya 164 (1992) 83
Anion and cation absorption spectra of conjugated oligomers and polymers, M. Deussen and H. Bässler 164 (1992) 247
A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259
Non-equilibrium solvation in chemical reactions. I. Effective equations of motion, A.M. Berezhkovskii 164 (1992) 331
Non-equilibrium solvation in chemical reactions. II. Rate constant, A.M. Berezhkovskii and V.Yu. Zitserman 164 (1992) 341
Thermal expansion and pressure dependence of the critical temperature near the lower-critical solution point of 2-butoxyethanol+water, A. Compostizo, A. Crespo Colin, M.R. Vigil, R.G. Rubio and M. Diaz Peña 164 (1992) 465

Crystals
Analysis of angular overlap parameters for $Eu^{3+}:Ln_2O_2S$ (Ln=Lu, Y, Gd, La) crystal series, Z.-J. Wu and S.-Y. Zhang 164 (1992) 197
Ab initio Hartree–Fock study of solid beryllium oxide: structure and electronic properties, A. Lichanot, M. Chaillet, C. Larrieu, R. Dovesi and C. Pisani 164 (1992) 383
Diffusion and CIDEP of H and D atoms in solid H_2O, D_2O and isotopic mixtures, D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421

–neat
Spectroscopic investigations of the lowest triplet state of *s*-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217

Polymers
On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203

Surfaces
The XPS core spectral functions of free and physisorbed molecular oxygen, D. Nordfors, H. Ågren and K.V. Mikkelsen 164 (1992) 173
A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407

Dielectrics
A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogt 164 (1992) 99
On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357

Microscopic systems

Atoms
Molecular K-shell excitation spectra in the relaxed-core Hartree–Fock approximation, A. Schmitt and J. Schirmer 164 (1992) 1
The angular momentum relaxation due to multiparticle collisions of molecules with atoms, A.I. Burshtein and A.V. Storozhev 164 (1992) 47

Molecules (neutral and ionic)
Molecular K-shell excitation spectra in the relaxed-core Hartree–Fock approximation, A. Schmitt and J. Schirmer 164 (1992) 1
The angular momentum relaxation due to multiparticle collisions of molecules with atoms, A.I. Burshtein and A.V. Storozhev 164 (1992) 47
Many-body calculation of the core hole spectrum of PdN_2, P. Decleva and M. Ohno 164 (1992) 73
Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155
On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357

Ab initio study of low-lying electronic states of the N_3^+ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377

–diatomic

A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogt 164 (1992) 99

Rotational collision cross sections of the system CO $A\,^1\Pi$–M (M = He, Ar, H_2) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107

High resolution X-ray and He II excited inner valence photoelectron spectra of HI, M.Y. Adam, M.P. Keane, A. Naves de Brito, N. Correia, B. Wannberg, P. Baltzer, L. Karlsson and S. Svensson 164 (1992) 123

Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule , L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183

Vibrationally mediated selective excitation of matrix-isolated NO($B\,^2\Pi$) applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451

–small polyatomics

Large amplitude Hamiltonians for internal motion in AX_3 molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23

VUV laser absorption study at 110.6 nm of the rotationally structured $...1\pi_g^3,\ 3p\pi_u\ ^3\Sigma_u^-$ Rydberg state of CO_2, X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115

The (3+1) REMPI spectrum of CS_2 in the 62000–65000 cm^{-1} region, L. Li, X.T. Wang, X.N. Li and X.B. Xie 164 (1992) 305

Inelastic neutron scattering study of γ-MnO_2: the dynamics of $(H^+)_4$ entities in Mn^{4+} vacancies, F. Fillaux, H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu 164 (1992) 311

–aromatics

Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91

Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and *p*-$Cl_2C_6H_4$, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131

Spectroscopic investigations of the lowest triplet state of *s*-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217

Conformational dependence of the quadratic hyperpolarisabilities of a series of push–pull stilbenes: characterisation and investigation of empirical correlations, M. Barzoukas, A. Fort, G. Klein, C. Serbutoviez, L. Oswald and J.F. Nicoud 164 (1992) 395

–other large

Electron localization in the bis-arene complexes $[(\eta\text{-}C_6H_6)_2Cr]$ and $[(\eta\text{-}C_6H_5Me)_2Mo]$: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271

The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy, A.D.O. Bawagan, B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang 164 (1992) 283

–polymeric and biological

On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203

Anion and cation absorption spectra of conjugated oligomers and polymers, M. Deussen and H. Bässler 164 (1992) 247

Molecular aggregates

–complexes

Molecular orbital calculations of the electronic structure and *g*-tensor for divalent paramagnetic iridium complexes, S.R. Nogueira, N.V. Vugman and D. Guenzburger 164 (1992) 229

Free radicals (including hydronium and muonium)

Ab initio CI calculations of electronic and vibrational spectra of $ZnCH_3$, C. Jamorski and A. Dargelos 164 (1992) 191

Diffusion and CIDEP of H and D atoms in solid H_2O, D_2O and isotopic mixtures, D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421

Phenomena

Molecular structure

Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91

Ab initio CI calculations of electronic and vibrational spectra of $ZnCH_3$, C. Jamorski and A. Dargelos 164 (1992) 191

Ab initio study of low-lying electronic states of the N_3^+ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377

Vibrations and rotations of molecules

Large amplitude Hamiltonians for internal motion in AX_3 molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23

Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91

Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and *p*-$Cl_2C_6H_4$, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131

Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule, L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183

Inelastic neutron scattering study of γ-MnO_2: the dynamics of $(H^+)_4$ entities in Mn^{4+} vacancies, F. Fillaux, H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu 164 (1992) 311

On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357

Electronic structure and states

Many-body calculation of the core hole spectrum of PdN_2, P. Decleva and M. Ohno 164 (1992) 73

Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule , L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183

Analysis of angular overlap parameters for $Eu^{3+}:Ln_2O_2S$ (Ln=Lu, Y, Gd, La) crystal series, Z.-J. Wu and S.-Y. Zhang 164 (1992) 197

Molecular orbital calculations of the electronic structure and *g*-tensor for divalent paramagnetic iridium complexes, S.R. Nogueira, N.V. Vugman and D. Guenzburger 164 (1992) 229

Anion and cation absorption spectra of conjugated oligomers and polymers, M. Deussen and H. Bässler 164 (1992) 247

Electron localization in the bis-arene complexes $[(\eta\text{-}C_6H_6)_2Cr]$ and $[(\eta\text{-}C_6H_5Me)_2Mo]$: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271

The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy, A.D.O. Bawagan, B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang 164 (1992) 283

Ab initio study of low-lying electronic states of the N_3^+ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377

The resonance enhanced (2+1) multiphoton ionization spectrum of I_2, R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yencha and T. Ridley 164 (1992) 439

Electric and magnetic properties

High- and low-mobility electrons in liquid neon, Y. Sakai, W.F. Schmidt and A. Khrapak 164 (1992) 139

Molecular orbital calculations of the electronic structure and *g*-tensor for divalent paramagnetic iridium complexes, S.R. Nogueira, N.V. Vugman and D. Guenzburger 164 (1992) 229

Spin splittings

Spectroscopic investigations of the lowest triplet state of *s*-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217

Molecular interactions

Intermolecular interaction effects in the vibrational spectra of electrolyte solutions, M.U. Bely, G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya 164 (1992) 83

On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203

Spectral bandshapes and intensities

Molecular K-shell excitation spectra in the relaxed-core Hartree–Fock approximation, A. Schmitt and J. Schirmer 164 (1992) 1

VUV laser absorption study at 110.6 nm of the rotationally structured $...1\pi_g^3, 3p\pi_u\ ^3\Sigma_u^-$ Rydberg state of CO_2, X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115

Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule, L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183
Ab initio CI calculations of electronic and vibrational spectra of $ZnCH_3$, C. Jamorski and A. Dargelos 164 (1992) 191

Coupling of electronic and nuclear motion
Donor–acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31

Energy transfer processes
Rotational collision cross sections of the system CO A $^1\Pi$–M (M = He, Ar, H_2) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107
Vibrationally mediated selective excitation of matrix-isolated NO($B\,^2\Pi$) applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451

Molecular photophysical processes
Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155
A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259

Intramolecular dynamics
Local decoupling of a bunch of resonances and associated trapping effect, M. Desouter-Lecomte and F. Remacle 164 (1992) 11
Donor–acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31

–radiationless transitions
Vibrationally mediated selective excitation of matrix-isolated NO($B\,^2\Pi$) applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451

–vibrational energy redistribution (including vibrational dissociation)
Vibrationally mediated selective excitation of matrix-isolated NO($B\,^2\Pi$) applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451

Non-linear responses (including optical)
Conformational dependence of the quadratic hyperpolarisabilities of a series of push–pull stilbenes: characterisation and investigation of empirical correlations, M. Barzoukas, A. Fort, G. Klein, C. Serbutoviez, L. Oswald and J.F. Nicoud 164 (1992) 395

Multiphoton phenomena
Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155
The resonance enhanced (2+1) multiphoton ionization spectrum of I_2, R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yencha and T. Ridley 164 (1992) 439

Reactions (including dissociation)
Local decoupling of a bunch of resonances and associated trapping effect, M. Desouter-Lecomte and F. Remacle 164 (1992) 11
A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259

Tunneling
Large amplitude Hamiltonians for internal motion in AX_3 molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23
Inelastic neutron scattering study of γ-MnO_2: the dynamics of $(H^+)_4$ entities in Mn^{4+} vacancies, F. Fillaux, H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu 164 (1992) 311
A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407

Electron transfer
Donor–acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31

Ionization (including Rydberg states)
Electron localization in the bis-arene complexes $[(\eta\text{-}C_6H_6)_2Cr]$ and $[(\eta\text{-}C_6H_5Me)_2Mo]$: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271
The (3+1) REMPI spectrum of CS_2 in the 62000–65000 cm^{-1} region, L. Li, X.T. Wang, X.N. Li and X.B. Xie 164 (1992) 305
The resonance enhanced (2+1) multiphoton ionization spectrum of I_2, R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yencha and T. Ridley 164 (1992) 439

Molecular motion (including diffusive)
Intramolecular vibrational activity and quantum beats in the Raman-induced optical Kerr effect of liquids under impulsive electric excitations, T.-H. Huang 164 (1992) 57
Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321
On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357
A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407
Diffusion and CIDEP of H and D atoms in solid H_2O, D_2O and isotopic mixtures, D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421

Isotopic effects
A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407

Fluctuations and noise
Donor–acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31

Surface effects and catalysis
Many-body calculation of the core hole spectrum of PdN_2, P. Decleva and M. Ohno 164 (1992) 73

The XPS core spectral functions of free and physisorbed molecular oxygen, D. Nordfors, H. Ågren and K.V. Mikkelsen 164 (1992) 173
On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203

Thermodynamic and transport properties
Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321

Critical phenomena
Thermal expansion and pressure dependence of the critical temperature near the lower-critical solution point of 2-butoxyethanol+water, A. Compostizo, A. Crespo Colin, M.R. Vigil, R.G. Rubio and M. Diaz Peña 164 (1992) 465